

Altman Par64	Control	NSP, 500W, 15° x 32°	Additional equipment	5kg	500W
Altman Par64	Control	NSP, 500W, 15° x 32°	Additional equipment	5kg	500W
Altman Par64	Control	NSP, 500W, 15° x 32°	Additional equipment	5kg	500W
Altman Par64	Control	NSP, 500W, 15° x 32°	Additional equipment	5kg	500W
Altman Par64	Control	NSP, 500W, 15° x 32°	Additional equipment	5kg	500W
Altman Par64	Control	NSP, 500W, 15° x 32°	Additional equipment	5kg	500W
Altman Par64	Control	NSP, 500W, 15° x 32°	Additional equipment	5kg	500W
Altman Par64	Control	NSP, 500W, 15° x 32°	Additional equipment	5kg	500W
Selecon SPX 15°-35° Zoomspot	Control	15° - 35°	Additional equipment	8,3kg	800W
Selecon SPX 15°-35° Zoomspot	Control	15° - 35°	Additional equipment	8,3kg	800W
Selecon SPX 15°-35° Zoomspot	Control	15° - 35°	Additional equipment	8,3kg	800W
Selecon SPX 15°-35° Zoomspot	Control	15° - 35°	Additional equipment	8,3kg	800W
Selecon SPX 15°-35° Zoomspot	Control	15° - 35°	Additional equipment	8,3kg	800W
Selecon SPX 15°-35° Zoomspot	Control	15° - 35°	Additional equipment	8,3kg	800W
Selecon SPX 15°-35° Zoomspot	Control	15° - 35°	Additional equipment	8,3kg	800W
Selecon SPX 15°-35° Zoomspot	Control	15° - 35°	Additional equipment	8,3kg	800W
Selecon SPX 15°-35° Zoomspot	Control	15° - 35°	Additional equipment	8,3kg	800W
	Control	15° - 35°		8,3kg	800W

Selecon SPX 15°-35° Zoomspot			Additional equipment		
Selecon SPX 15°-35° Zoomspot	Control	15° - 35°	Additional equipment	8,3kg	800W
Selecon SPX 15°-35° Zoomspot	Control	15° - 35°	Additional equipment	8,3kg	800W
Selecon SPX 15°-35° Zoomspot	Control	15° - 35°	Additional equipment	8,3kg	800W
Selecon SPX 15°-35° Zoomspot	Control	15° - 35°	Additional equipment	8,3kg	800W
Selecon SPX 15°-35° Zoomspot	Control	15° - 35°	Additional equipment	8,3kg	800W
Selecon SPX 15°-35° Zoomspot	Control	15° - 35°	Additional equipment	8,3kg	800W
Selecon SPX 15°-35° Zoomspot	Control	15° - 35°	Additional equipment	8,3kg	800W
ETC Source Four LED 50° Lustr+	RGB Mode	50°	Additional equipment	8,3kg	130W
ETC Source Four LED 50° Lustr+	RGB Mode	50°	Additional equipment	8,3kg	130W
ETC Source Four LED 50° Lustr+	RGB Mode	50°	Additional equipment	8,3kg	130W
ETC Source Four LED 50° Lustr+	RGB Mode	50°	Additional equipment	8,3kg	130W
ADJ Pinspot LED II	Control	3°	Additional equipment	0,5kg	3W
ADJ Pinspot LED II	Control	3°	Additional equipment	0,5kg	3W
ADJ Pinspot LED II	Control	3°	Additional equipment	0,5kg	3W
ADJ Pinspot LED II	Control	3°	Additional equipment	0,5kg	3W
ADJ Pinspot LED II	Control	3°	Additional equipment	0,5kg	3W
Briteq BT- 20LS	Advanced Mode	16°	Additional equipment	7kg	75W
Briteq BT- 20LS	Advanced Mode	16°	Additional equipment	7kg	75W
Stairville Fan- 200 DMX	Standard		Effect generators	9,8kg	0W
Stairville Fan- 200 DMX	Standard		Effect generators	9,8kg	0W
				10kg	0W

	Antari S-100II Snow Machine		Standard Mode			Effect generators		
	Antari S-100II Snow Machine		Standard Mode			Effect generators	10kg	0W
	JEM Glaciator X-Stream		Standard Mode			Effect generators	110kg	0W
	Robe X1 FT Pro		Standard Mode			Effect generators	52,5kg	0W
	Robe Faze 1050 FT		Standard Mode			Effect generators	18kg	0W
	Robe Faze 1050 FT		Standard Mode			Effect generators	18kg	0W
1	Selecon SPX 15°-35° Zoomspot	1.1	Control	15° - 35°		Left Bed	8,3kg	800W
2	Selecon SPX 15°-35° Zoomspot	1.2	Control	15° - 35°		Left Bed	8,3kg	800W
3	Selecon SPX 15°-35° Zoomspot	1.3	Control	15° - 35°		Left Bed	8,3kg	800W
4	Selecon SPX 15°-35° Zoomspot	1.4	Control	15° - 35°		Left Bed	8,3kg	800W
5	Selecon SPX 15°-35° Zoomspot	1.5	Control	15° - 35°		Right Bed	8,3kg	800W
6	Selecon SPX 15°-35° Zoomspot	1.6	Control	15° - 35°		Right Bed	8,3kg	800W
7	Selecon SPX 15°-35° Zoomspot	1.7	Control	15° - 35°		Right Bed	8,3kg	800W
8	Selecon SPX 15°-35° Zoomspot	1.8	Control	15° - 35°		Right Bed	8,3kg	800W
67	EK Lights eProfile FC	6.150	10 Channel	19°	4, 11	Bearing-out	9,3kg	250W
68	EK Lights eProfile FC	6.160	10 Channel	19°	4, 11	Bearing-out	9,3kg	250W
69	EK Lights eProfile FC	6.170	10 Channel	19°	4, 11	Bearing-out	9,3kg	250W
70	EK Lights eProfile FC	6.180	10 Channel	19°	4, 11	Bearing-out	9,3kg	250W
71	EK Lights eProfile FC	6.190	10 Channel	19°	4, 11	Bearing-out	9,3kg	250W
72	EK Lights eProfile FC	6.200	10 Channel	19°	4, 11	Bearing-out	9,3kg	250W
150	EK Lights R2 Beam Wash	2.1	14 Channel	4° - 60°	2	1 Soffit	18,2kg	900W
151	EK Lights R2 Beam Wash	2.15	14 Channel	4° - 60°	2	1 Soffit	18,2kg	900W
152	EK Lights R2 Beam Wash	2.29	14 Channel	4° - 60°	2	1 Soffit	18,2kg	900W

153	EK Lights R2 Beam Wash	2.43	14 Channel	4° - 60°	2	1 Soffit	18,2kg	900W
154	EK Lights R2 Beam Wash	2.57	14 Channel	4° - 60°	2	1 Soffit	18,2kg	900W
155	Silver Star Cyan 24000XS	2.71	Person 2 Mode	13° - 35°	1	1 Soffit	31kg	530W
156	Silver Star Cyan 24000XS	2.94	Person 2 Mode	13° - 35°	1	1 Soffit	31kg	530W
157	Silver Star Cyan 24000XS	2.117	Person 2 Mode	13° - 35°	1	1 Soffit	31kg	530W
158	Silver Star Cyan 24000XS	2.140	Person 2 Mode	13° - 35°	1	1 Soffit	31kg	530W
159	EK Lights R2 Beam Wash	3.1	14 Channel	4° - 60°	7	2 Soffit	18,2kg	900W
160	EK Lights R2 Beam Wash	3.15	14 Channel	4° - 60°	7	2 Soffit	18,2kg	900W
161	EK Lights R2 Beam Wash	3.29	14 Channel	4° - 60°	7	2 Soffit	18,2kg	900W
162	EK Lights R2 Beam Wash	3.43	14 Channel	4° - 60°	7	2 Soffit	18,2kg	900W
163	EK Lights R2 Beam Wash	3.57	14 Channel	4° - 60°	7	2 Soffit	18,2kg	900W
164	EK Lights R2 Beam Wash	3.71	14 Channel	4° - 60°	7	2 Soffit	18,2kg	900W
165	EK Lights K2- HP	3.85	33 Channel	6° - 48°	8	2 Soffit	32kg	680W
166	EK Lights K2- HP	3.118	33 Channel	6° - 48°	8	2 Soffit	32kg	680W
167	EK Lights K2- HP	3.151	33 Channel	6° - 48°	8	2 Soffit	32kg	680W
168	EK Lights K2- HP	3.184	33 Channel	6° - 48°	8	2 Soffit	32kg	680W
169	EK Lights K2- HP	3.217	33 Channel	6° - 48°	8	2 Soffit	32kg	680W
170	EK Lights R2 Beam Wash	4.1	14 Channel	4° - 60°	6	3 Soffit	18,2kg	900W
171	EK Lights R2 Beam Wash	4.15	14 Channel	4° - 60°	6	3 Soffit	18,2kg	900W
172	EK Lights R2 Beam Wash	4.29	14 Channel	4° - 60°	6	3 Soffit	18,2kg	900W
173	EK Lights R2 Beam Wash	4.43	14 Channel	4° - 60°	6	3 Soffit	18,2kg	900W
174	EK Lights R2 Beam Wash	4.57	14 Channel	4° - 60°	6	3 Soffit	18,2kg	900W
175	EK Lights R2 Beam Wash	4.71	14 Channel	4° - 60°	6	3 Soffit	18,2kg	900W
176	EK Lights K2- HP	4.85	33 Channel	6° - 48°	9	3 Soffit	32kg	680W
177	EK Lights K2- HP	4.118	33 Channel	6° - 48°	9	3 Soffit	32kg	680W

178	EK Lights K2-HP	4.151	33 Channel	6° - 48°	9	3 Soffit	32kg	680W
179	EK Lights K2-HP	4.184	33 Channel	6° - 48°	9	3 Soffit	32kg	680W
180	EK Lights K2-HP	4.217	33 Channel	6° - 48°	9	3 Soffit	32kg	680W
181	EK Lights R2 Beam Wash	5.1	14 Channel	4° - 60°	5	4 Soffit	18,2kg	900W
182	EK Lights R2 Beam Wash	5.15	14 Channel	4° - 60°	5	4 Soffit	18,2kg	900W
183	EK Lights R2 Beam Wash	5.29	14 Channel	4° - 60°	5	4 Soffit	18,2kg	900W
184	EK Lights R2 Beam Wash	5.43	14 Channel	4° - 60°	5	4 Soffit	18,2kg	900W
185	EK Lights R2 Beam Wash	5.57	14 Channel	4° - 60°	5	4 Soffit	18,2kg	900W
186	EK Lights K2-HP	5.71	33 Channel	6° - 48°	10	4 Soffit	32kg	680W
187	EK Lights K2-HP	5.104	33 Channel	6° - 48°	10	4 Soffit	32kg	680W
188	EK Lights K2-HP	5.137	33 Channel	6° - 48°	10	4 Soffit	32kg	680W
189	EK Lights K2-HP	5.170	33 Channel	6° - 48°	10	4 Soffit	32kg	680W
190	EK Lights K2-HP	5.203	33 Channel	6° - 48°	10	4 Soffit	32kg	680W
191	EK Lights K2-HP	5.236	33 Channel	6° - 48°	10	4 Soffit	32kg	680W
192	Robe Robin ParFect 150 RGBW	6.1	2 - Reduced 8-Bit	5,7° - 60°		Bearing-out	5kg	210W
193	Robe Robin ParFect 150 RGBW	6.12	2 - Reduced 8-Bit	5,7° - 60°		Bearing-out	5kg	210W
194	Robe Robin ParFect 150 RGBW	6.23	2 - Reduced 8-Bit	5,7° - 60°		Bearing-out	5kg	210W
195	Robe Robin ParFect 150 RGBW	6.34	2 - Reduced 8-Bit	5,7° - 60°		Bearing-out	5kg	210W
196	Robe Robin ParFect 150 RGBW	6.45	2 - Reduced 8-Bit	5,7° - 60°		Bearing-out	5kg	210W
197	Robe Robin ParFect 150 RGBW	6.56	2 - Reduced 8-Bit	5,7° - 60°		Bearing-out	5kg	210W
198	Robe Robin ParFect 150 RGBW	6.67	2 - Reduced 8-Bit	5,7° - 60°		Bearing-out	5kg	210W
199	Robe Robin ParFect 150 RGBW	6.78	2 - Reduced 8-Bit	5,7° - 60°		Bearing-out	5kg	210W
200	Robe Robin ParFect 150 RGBW	7.1	2 - Reduced 8-Bit	5,7° - 60°		Left Bed	5kg	210W

201	Robe Robin ParFect 150 RGBW	7.12	2 - Reduced 8-Bit	5,7° - 60°	Left Bed	5kg	210W
202	Robe Robin ParFect 150 RGBW	7.23	2 - Reduced 8-Bit	5,7° - 60°	Left Bed	5kg	210W
203	Robe Robin ParFect 150 RGBW	7.34	2 - Reduced 8-Bit	5,7° - 60°	Right Bed	5kg	210W
204	Robe Robin ParFect 150 RGBW	7.45	2 - Reduced 8-Bit	5,7° - 60°	Right Bed	5kg	210W
205	Robe Robin ParFect 150 RGBW	7.56	2 - Reduced 8-Bit	5,7° - 60°	Right Bed	5kg	210W
206	Robe Robin ParFect 150 RGBW	10.1	2 - Reduced 8-Bit	5,7° - 60°	Left Portal	5kg	210W
207	Robe Robin ParFect 150 RGBW	10.12	2 - Reduced 8-Bit	5,7° - 60°	Left Portal	5kg	210W
208	Robe Robin ParFect 150 RGBW	10.23	2 - Reduced 8-Bit	5,7° - 60°	Left Portal	5kg	210W
209	Robe Robin ParFect 150 RGBW	10.34	2 - Reduced 8-Bit	5,7° - 60°	Left Portal	5kg	210W
210	Robe Robin ParFect 150 RGBW	10.45	2 - Reduced 8-Bit	5,7° - 60°	Left Portal	5kg	210W
211	Robe Robin ParFect 150 RGBW	10.56	2 - Reduced 8-Bit	5,7° - 60°	Right Portal	5kg	210W
212	Robe Robin ParFect 150 RGBW	10.67	2 - Reduced 8-Bit	5,7° - 60°	Right Portal	5kg	210W
213	Robe Robin ParFect 150 RGBW	10.78	2 - Reduced 8-Bit	5,7° - 60°	Right Portal	5kg	210W
214	Robe Robin ParFect 150 RGBW	10.89	2 - Reduced 8-Bit	5,7° - 60°	Right Portal	5kg	210W
215	Robe Robin ParFect 150 RGBW	10.100	2 - Reduced 8-Bit	5,7° - 60°	Right Portal	5kg	210W
216	EK Lights eProfile FC	8.1	10 Channel	19°	Left Gallery	9,3kg	250W
217	EK Lights eProfile FC	8.8	10 Channel	19°	Left Gallery	9,3kg	250W
218	EK Lights eProfile FC	8.15	10 Channel	19°	Left Gallery	9,3kg	250W
219	EK Lights eProfile FC	8.22	10 Channel	19°	Right Gallery	9,3kg	250W
220	EK Lights eProfile FC	8.29	10 Channel	19°	Right Gallery	9,3kg	250W

221	EK Lights eProfile FC	8.36	10 Channel	19°	Right Gallery	9,3kg	250W
222	EK Lights eProfile FC	10.210	10 Channel	19°	Left Tower 1	9,3kg	250W
223	EK Lights eProfile FC	10.220	10 Channel	19°	Left Tower 1	9,3kg	250W
224	EK Lights eProfile FC	10.230	10 Channel	19°	Left Tower 2	9,3kg	250W
225	EK Lights eProfile FC	10.240	10 Channel	19°	Left Tower 2	9,3kg	250W
226	EK Lights eProfile FC	10.250	10 Channel	19°	Right Tower 1	9,3kg	250W
227	EK Lights eProfile FC	10.260	10 Channel	19°	Right Tower 1	9,3kg	250W
228	EK Lights eProfile FC	10.270	10 Channel	19°	Right Tower 2	9,3kg	250W
229	EK Lights eProfile FC	10.280	10 Channel	19°	Right Tower 2	9,3kg	250W
238	Silver Star Cyan 6000XE	7.67	1	16° - 37°	Left Bed	10kg	304W
239	Silver Star Cyan 6000XE	7.77	1	16° - 37°	Right Bed	10kg	304W
246	DIALighting LED Multi Par Zoom	7.316	5 Channel Mode	10° - 40°	Left Bed	5kg	150W
247	DIALighting LED Multi Par Zoom	7.327	5 Channel Mode	10° - 40°	Left Bed	5kg	150W
248	DIALighting LED Multi Par Zoom	7.338	5 Channel Mode	10° - 40°	Right Bed	5kg	150W
249	DIALighting LED Multi Par Zoom	7.349	5 Channel Mode	10° - 40°	Right Bed	5kg	150W
						1969kg 400g	73kW 933W